

COMMONWEALTH OF KENTUCKY
BEFORE THE UTILITY REGULATORY COMMISSION

* * * * *

In the Matter of:

WILLOW UTILITIES, INC., FOR AUTHORITY)	
TO ACQUIRE AND OPERATE THE WILLOW)	
CREEK SEWER SYSTEM IN JEFFERSON AND)	
OLDHAM COUNTIES, KENTUCKY)	
AND)	CASE NO. 7932
APPLICATION OF WILLOW UTILITIES, INC.)	
FOR AN ORDER ADJUSTING THE RATES)	
CURRENTLY CHARGED BY WILLOW CREEK)	
SEWER SYSTEM)	

O R D E R

IT IS ORDERED that Willow Utilities, Inc., shall file an original and twelve (12) copies of the following information with the Commission (with a copy of the Attorney General's Consumer Intervention Division) by November 4, 1980:

1. Re-submit Comparative Income Statement for the test period (May 1, 1979 thru April 30, 1980) as originally submitted with the application on July 31, 1980. The change in the total number of customers from 306 to 272, as evidenced by Applicants "Number of Connections" filed on October 21, 1980, will necessitate changes in the pro forma adjustment to the following accounts:

- (a) Collection Fees
- (b) Bad Debts Expense
- (c) Utilities-Water (further explanation of \$136.21 for the billing period January 29, 1980 thru March 27, 1980)
- (d) Utilities-Electric
- (e) Chemicals (Tech. Products Inv. # 60158 dated December 28, 1979 - delete amount of drum deposit \$200.00)

2. In the analysis of Accounting - U.R.C. Rate Case expense, give a more detailed explanation of the following items:

- (a) Pre-hearing time estimated \$110.00
- (b) Time estimated for one day of hearing time \$438.00

3. With regard to the pro forma adjustment to Depreciation Expense, list the individual items of plant and their estimated life related to the adjustment of \$2,750.00 per year.

4. Provide a detailed analysis of extraordinary repairs made by Andriot-Davidson's Service Co., Inc. in the amount of \$5,500 that Applicant proposes to amortize over a three year period.

Done at Frankfort, Kentucky, this 29th day of October, 1980.

UTILITY REGULATORY COMMISSION


Chairman


Vice Chairman


Commissioner

ATTEST:

secretary